

Interface® for Education

PRODUCT CATALOG

NORA® RUBBER • LVT • CARPET TILE



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.

www.interface.com

United States Headquarters
1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters
233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.52128

Latin American Headquarters
Montes Urales # 415 Piso 6
Col. Lomas de Chapultepec
Mexico City, CDMX, C.P. 11000
Mexico
+52 55 2791 6812

CIM # IFS000896 12/2020




Carpet Product Ground Waves Verse | Color 104902 Iron/Colors | Installed Ashlar
LVT Product Studio Set | A00724 Turquoise | Installed Ashlar



GET CONNECTED

WITH FLOORING FOR EVERY SPACE IN YOUR SCHOOL




Choosing the right flooring for your facility shouldn't be a challenge, so we're making it easy to find just what you need. Our integrated system of modular carpet tile, LVT and nora® rubber offers the best of hard and soft surfaces working together as a system for every space from classrooms to corridors, gymnasiums to offices and everything in between. We've even noted which products are QuickShip to easily identify the best options for quick turnaround projects.



SCAN FOR MORE CONTENT

Scan the QR code to learn more about how Interface flooring can help you create beautiful, more sustainable education spaces.

- 06 **THE DREAM TEAM**
- 09 **INTERFACE DESIGN STUDIO (IDS)**
- 11 **NORA® RUBBER**
- 27 **LUXURY VINYL TILE (LVT)**
- 51 **CARPET TILE**
- 89 **WALK OFF, STAIR TREADS,
FLOORING ACCESSORIES AND ADHESIVES**
- 99 **CREATING A HEALTHIER PLANET-TOGETHER**






LVT Product Studio Set | Color A00706 Mushroom | Installed Ashlar
LVT Product Walk on By | Color A01507 Royal Blue | Installed Monolithic
Rubber Product norament® satura | Color 5121 Hydra | Installed Directional

The Dream Team

Interface Carpet Tile,
LVT and nora® Rubber





Carpet Product Honey Don't | **Color** 105692 Dew | **Installed** Ashlar
LVT Product Textured Woodgrains | **Color** A00426 Sugarpine | **Installed** Ashlar
LVT Product Studio Set | **Color** A00707 Lime | **Installed** Ashlar




Rubber Product norament® grano | **Color** 5306 Camphor | **Installed** Directional
Carpet Product AE315 | **Color** 105811 Greige/Persimmon | **Installed** Ashlar
Carpet Product AE311 | **Color** 104672 Greige | **Installed** Ashlar

YOUR Design Partner

We make finding design solutions easier with Interface Design Studio--expert designers who know Interface products inside and out. And it's complimentary.

From concept to completion, they can work closely with you to create distinct designs that meet your vision and budget, no matter how large or small the project. Plus, the to-scale floor plan layouts can project overall waste and act as an installation guide for the flooring contractor. Just contact your Interface rep to get started.



1 Product HN840 Color 104222 Nickel 2 Product HN850 Color 104206 Nickel
 3 Product HN810 Color 104214 Nickel 4 Product AE311 Color 104673 Iron
 5 Product AE317 Color 105824 Persimmon 6 Product SS218 Color 105020 Sidewalk/
 Naranja 7 Product Detours Color 104718 Steel 8 Product Detours Ahead Color 105160
 Steel/Tonal 9 Product LVT Studio Set: Color A00703 Pepper 10 Product FLOR Tweed
 Indeed Color Clementine 11 Product On Line Color 105834 Persimmon 12 Product SL910
 Color 104502 Nickel 13 Product AE310 Color 104626 Iron



A SOFTER


HARD SURFACE

Flooring that's so durable it can last for decades—and still look good—is a must-have for any K-12 environment. nora® rubber does just that and more.

- Dimensionally stable and installs over most subfloors
- Non-porous, highly dense surface of nora rubber creates a long-lasting floor that cleans easily with little more than water
- Never requires coating and is fully restorable
- Impervious to stains and resistant to moisture
- nora technical services available for consulting before, during and after installation
- Offers impact sound reduction of up to ΔIIC 21
- Contributes to healthy indoor air quality
- Certified carbon neutral through our Carbon Neutral Floors™ program




- 17 **norament® GRANO**
- 19 **noraplan® SENTICA**
- 21 **norament® SATURA**
- 23 **noraplan ENVIRONCARE™**
- 25 **noraplan® VALUA**




Rubber Product norament® grano | Colors 5303 Frankincense, 5317 Agapanthus and 5319 Spikenard | Installed Directional



Please see nora.com/us for details on which product variations are available for nora® QuickShip colors. 

noraplan **ENVIRONCARE™**



noraplan **ENVIRONCARE™**

Article Number: Sheet
1463

Article Number: Tile
2463

Product Construction
Homogeneous Rubber Sheet & Tile

Class: Sheet / ASTM F1859
Type I

Class: Tile / ASTM F1344
Type I and Grade 1

Total Thickness
3 mm

Surface Type
Smooth

Nominal Dimensions: Sheet
12.0 m x 1.22 m (39.37" x 48")

Nominal Dimensions: Tile
610 mm x 610 mm (24.015" x 24.015")


Indoor Air Quality
GREENGUARD Gold

Installation Method
Directional


Also available as noraplan environcare nTx. View details and the full product specification at nora.com/us.



Product noraplan environcare™ | Color 7032 Sleigh Ride | Installed Directional

Please see nora.com/us for details on which product variations are available for nora® QuickShip colors. 

norament® **GRANO**

			
5301 White Fir	5302 Angelica Root	5303 Frankincense	5304 Black Pepper
			
5305 Agar	5306 Camphor	5307 Fenugreek	5308 Myrrh
			
5309 Jasmine	5310 Helichrysum	5311 Copaiba	5312 Vetiver
			
5313 Marjoram	5314 Henna	5315 Cedarwood	5316 Siberian Fir
			
5317 Agapanthus	5318 Blue Tansy	5319 Spikenard	5320 Sassafras
			
5321 Wintergreen	5322 Ylang-ylang	5323 Plumeria	5324 Patchouli
			
5325 Balsam	5326 Fennel Seed	5327 Tea Tree	5328 Arborvitae
			
5329 Bergamot	5330 Cassia	5331 Neroli	5332 Geranium

norament® **GRANO**

Article Number
1880

Product Construction
Homogeneous Rubber Tile

Class / ASTM F1344
Type IB and Grade 2

Total Thickness
3.5 mm

Surface Type
Hammered

Nominal Dimensions
1004 mm x 1004 mm (39.53" x 39.53")


Indoor Air Quality
GREENGUARD Gold

Installation Method
Directional

Also available as norament grano nTx. View details and the full product specification at nora.com/us.



Product norament® grano | Colors 5329 Bergamot, 5304 Black Pepper and 5317 Agapanthus | Installed Directional

Please see nora.com/us for details on which product variations are available for nora® QuickShip colors. 

norament® **SATURA**

			
5101 Andromeda	5102 Grus	5103 Mercury	5104 Centaurus
			
5105 Cygnus	5106 Vulpecula	5107 Callisto	5108 Indus
			
5109 Orion	5110 Ara	5111 Castor	5112 Titan
			
5113 Sagitta	5114 Circinus	5115 Hercules	5116 Arcturus
			
5117 Draco	5118 Pavo	5119 Mars	5120 Jupiter
			
5121 Hydra	5122 Earth	5123 Venus	5124 Aquila
			
5125 Cetus	5126 Saturn	5127 Vela	5128 Delphinus
			
5129 Neptune	5130 Aquarius	5131 Cassiopeia	5132 Monoceros

norament® **SATURA**

Article Number
1880

Product Construction
Homogeneous Rubber Tile

Class / ASTM F1344
Type IB and Grade 2

Total Thickness
3.5 mm

Surface Type
Hammered

Nominal Dimensions
1004 mm x 1004 mm (39.53" x 39.53")


Indoor Air Quality
GREENGUARD Gold

Installation Method
Directional

























Also available as norament satura nTx. View details and the full product specification at nora.com/us.



Product norament® satura | Colors 5113 Sagitta, 5124 Aquila, 5122 Earth and 5121 Hydra | Installed Directional

Please see nora.com/us for details on which product variations are available for nora® QuickShip colors. 

noraplan® SENTICA

				
6500 Cotton Candy	6501 Prom	6502 Vacation	6503 Indulgence	6532 Zest
				
6504 Down Feathers	6505 Silk	6506 Cashmere	6507 Old Oak	6533 Valentine
				
6508 Wool	6509 Sand Box	6510 Dinner Rolls	6511 Clydesdale	6534 Carnival
				
6512 Sunrise	6513 Hayride	6514 Heat Wave	6515 Barbeque	6535 Destination
				
6516 Aloe	6517 Cut Grass	6518 First Day	6519 Picnic	6536 Wheat Fields
				
6520 Snow Day	6521 Sunday Paper	6522 Expedition	6523 Road Trip	6537 Camp Fire
				
6524 Frost Bite	6525 Ocean Mist	6526 Mountain Air	6527 Deep Sea	
				
6528 Ice Cube	6529 Surf	6530 Waterfall	6531 Regatta	

noraplan® SENTICA

Article Number: Sheet 1701
Article Number: Tile 2701
Product Construction Homogeneous Rubber Sheet & Tile
Class: Sheet / ASTM F1859 Type I
Class: Tile / ASTM F1344 Type I and Grade 1
Total Thickness 3 mm
Surface Type Smooth
Nominal Dimensions: Sheet 12.0 m x 1.22 m (39.37" x 48")
Nominal Dimensions: Tile 610 mm x 610 mm (24.015" x 24.015")
Indoor Air Quality GREENGUARD Gold
Installation Method Directional
<i>Also available as noraplan sentica nTx. View details and the full product specification at nora.com/us.</i>



Rubber Product noraplan® sentica | Colors 6505 Silk, 6532 Zest, 6533 Valentine and 6503 Indulgence | Installed Directional

noraplan® VALUA



noraplan® VALUA

Article Number: Sheet 175A
Article Number: Plank <input type="checkbox"/>
275A / 276A / 277A
Product Construction Homogeneous Rubber Sheet & Tile
Class: Sheet / ASTM F1859 Type I
Class: Plank / ASTM F1344 Type I and Grade 1
Total Thickness 3 mm
Surface Type Smooth
Nominal Dimensions: Sheet 12.0 m x 1.22 m (39.37" x 48")
Nominal Dimensions: Plank 275A 610 mm x 205 mm (24.015" x 8.07")
Nominal Dimensions: Plank 276A 610 mm x 305 mm (24.015" x 12")
Nominal Dimensions: Plank 277A 1220 mm x 405 mm (48.03" x 15.94")
Indoor Air Quality GREENGUARD Gold
Installation Method Directional
<i>Also available as noraplan valua nTx. View details and the full product specification at nora.com/us.</i>



Product noraplan® valua | Colors 6709 Smoke and 6710 Charcoal | Installed Directional

HARD ON TRAFFIC

SOFT ON NOISE

Interface Sound Choice™ LVT offers high-performance hard flooring in patterns and colors that range from “principal’s office” professional to “Kindergarten” fun.

- Works as a system with our carpet tiles—no transition strips needed
- Available in 25 cm x 1 m planks and 50 cm x 50 cm squares
- Ceramor™ coating provides a durable finish that resists scuffs and scratches
- Offers greater noise reduction for improved learning
- Optimal dimensional stability and flexibility thanks to an incorporated fiberglass layer
- Easy to install and maintain
- 39% recycled content
- Recyclable through our ReEntry™ program
- Certified carbon neutral through our Carbon Neutral Floors™ program



Product Scorpio | Color A01707 Royal Blue | Installed Monolithic
Product Walk on By | Color A01504 Orange | Installed Monolithic



- 35 **TEXTURED WOODGRAINS**
- 36 **STUDIO SET**
- 37 **NATURAL WOODGRAINS**
- 39 **TEXTURED STONES**
- 41 **STARGAZING *NEW***
- 43 **WALK ON BY**
- 45 **WALK THE AISLE & WALK ABOUT *NEW***
- 47 **DRAWN LINES**
- 49 **NATIVE FABRIC**



Product Studio Set | Colors A00724 Turquoise, A00715 Chartreuse and A00727 Sand | Installed Ashlar



Product Walk on By | Color A01508 Dark Green | Installed Monolithic
Product Scorpio | Color A01709 Aqua | Installed Monolithic



Product Textured Woodgrains | Color A00429 Greywood | Installed Ashlar
Product Studio Set | Color A00718 Deep Fuchsia | Installed Ashlar



Product Studio Set | Colors A00718 Deep Fuchsia, A00719 Violet, A00720 Royal Blue
and A00726 Pebble | Installed Ashlar

TEXTURED WOODGRAINS™ | LEVEL SET™ COLLECTION




A00401 Distressed Walnut




A00402 Distressed Cashew



A00403 Distressed Hickory



A00404 Distressed Black Walnut



A00405 Grey Dune



A00406 Antique Light Oak




A00407 White Wash



A00408 Antique Gray Oak



A00409 Ash Walnut



A00410 Silver Walnut



A00411 Dark Walnut



A00412 Reclaimed Hickory




A00415 Antique Oak



A00416 Antique Dark Oak



A00417 Silver Dune



A00418 Charcoal Dune



A00420 Rustic Cashew



A00421 Rustic Oak




A00422 Rustic Hickory



A00423 Rustic Ash



A00424 Rustic Birch



A00425 Rustic Charcoal




A00426 Sugarpine



A00427 Hemlock



A00428 Grey Alder



A00429 Greywood



A00430 Gunmetal Elm



A00431 Ironbark

TEXTURED WOODGRAINS

Product Number
A004

Product Construction
High Performance Luxury Vinyl Tile

Class / ASTM F1700
Class III Printed Vinyl Plank

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified
CDPH 01350 Compliant

Installation Methods
Ashlar, Herringbone

Full product specification on interface.com



STUDIO SET™




A00701 Silverlight



A00702 Pewter



A00706 Mushroom



A00713 Slate



A00714 Yellow



A00715 Chartreuse



A00716 Orange



A00717 Red



A00718 Deep Fuchsia



A00719 Violet



A00720 Royal Blue



A00721 Electric Blue



A00722 Aqua



A00723 Kelly Green



A00724 Turquoise



A00725 Dark Green



A00726 Pebble



A00727 Sand

STUDIO SET

Product Number
A007

Product Construction
High Performance Luxury Vinyl Tile

Class / ASTM F1700
Class III Printed Vinyl Plank

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade

Finish
Ceramor™ Coating


Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified
CDPH 01350 Compliant

Installation Methods
Ashlar, Herringbone

Full product specification on interface.com



Colors with this symbol ship within 10 business days. 

NATURAL WOODGRAINS™ | LEVEL SET™ COLLECTION



A00201 Black Walnut



A00202 Madagascar




A00203 Chestnut



A00204 Beech



A00205 Storm



A00206 Winter Grey



A00207 Washed Wheat



A00208 Sand Dune



A00209 Mahogany



A00210 Teak



A00211 Washed Maple



A00212 Cedar



A00214 Bamboo

NATURAL WOODGRAINS

Product Number

A002

Product Construction

High Performance Luxury Vinyl Tile

Class / ASTM F1700

Class III Printed Vinyl Plank

Wear Layer Thickness

22 mil

Total Thickness

4,5 mm

Backing Class

Commercial Grade

Finish

Ceramor™ Coating

Nominal Dimensions

25 cm x 1 m (9.845 in x 39.38 in)

Indoor Air Quality

GREENGUARD Gold, FloorScore® Certified

CDPH 01350 Compliant

Installation Methods

Ashlar, Herringbone


Full product specification on interface.com




ASHLAR HERRINGBONE




Product Natural Woodgrains | Color A00211 Washed Maple | Installed Ashlar

Colors with this symbol ship within 10 business days. 


TEXTURED STONES™ | LEVEL SET™ COLLECTION



A00301 Polished Cement




A00302 Cool Polished Cement




A00303 Warm Polished Cement




A00304 Emperador Grey




A00305 Emperador Taupe




A00306 Jersey Marble



A00308 Light Concrete



A00309 Medium Concrete



A00310 Dark Concrete

TEXTURED STONES

Product Number
A003

Product Construction
High Performance Luxury Vinyl Tile

Class / ASTM F1700
Class III Printed Vinyl Plank

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade


Finish
Ceramor™ Coating

Nominal Dimensions
50 cm x 50 cm (19.69 in x 19.69 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified
CDPH 01350 Compliant


Installation Methods
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

Full product specification on interface.com



Product Textured Stones | Colors A00303 Warm Polished Cement and A00301 Polished Cement | Installed Monolithic

ARIES™ | STARGAZING™ COLLECTION



ARIES

Product Number
A018

Product Construction
High Performance Luxury Vinyl Tile

Class / ASTM F1700
Class III Printed Vinyl Plank

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
50 cm x 50 cm (19.69 in x 19.69 in)


Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified
CDPH 01350 Compliant

Installation Methods
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

Full product specification on interface.com



SCORPIO™ | STARGAZING™ COLLECTION



SCORPIO

Product Number
A017

Product Construction
High Performance Luxury Vinyl Tile

Class / ASTM F1700
Class III Printed Vinyl Plank

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade


Finish
Ceramor™ Coating

Nominal Dimensions
50 cm x 50 cm (19.69 in x 19.69 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified
CDPH 01350 Compliant


Installation Methods
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

Full product specification on interface.com



Product Scorpio | Color A01704 Red | Installed Pattern By Tile
 Product Aries | Color A01816 Silverlight | Installed Pattern By Tile
 Product Walk on By | Color A01505 Red | Installed Pattern By Tile


WALK ON BY™ | LOOK BOTH WAYS™ COLLECTION




A01501 Polychrome




A01502 Monochrome




A01503 Yellow




A01504 Orange




A01505 Red



A01506 Violet



A01507 Royal Blue



A01508 Dark Green

WALK ON BY

Product Number
A015

Product Construction
High Performance Luxury Vinyl Tile

Class / ASTM F1700
Class III Printed Vinyl Plank

Wear Layer Thickness
22 mil

Total Thickness
4,5 mm

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
50 cm x 50 cm (19.69 in x 19.69 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified
CDPH 01350 Compliant

Installation Methods
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

Full product specification on interface.com



Product Walk on By | Color A01503 Yellow | Installed Monolithic

WALK THE AISLE™ | LOOK BOTH WAYS™ COLLECTION




A01301 Warm Ash



A01402 Pumice



A01303 Cool Ash



A01304 Carbon

WALK THE AISLE

Product Number
A013

Product Construction
High Performance Luxury Vinyl Tile

Class / ASTM F1700
Class III Printed Vinyl Plank

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
50 cm x 50 cm (19.69 in x 19.69 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified
CDPH 01350 Compliant

Installation Methods
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

Full product specification on [interface.com](#)




WALK ABOUT™ | LOOK BOTH WAYS™ COLLECTION




A01401 Warm Ash



A01402 Pumice



A01403 Cool Ash



A01404 Carbon

WALK ABOUT

Product Number
A014

Product Construction
High Performance Luxury Vinyl Tile

Class / ASTM F1700
Class III Printed Vinyl Plank

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade


Finish
Ceramor™ Coating

Nominal Dimensions
50 cm x 50 cm (19.69 in x 19.69 in)


Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified
CDPH 01350 Compliant

Installation Methods
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

Full product specification on [interface.com](#)



Product Walk the Aisle | Color A01302 Pumice | Installed Monolithic
Product Studio Set | Color A00717 Red | Installed Ashlar
Product Walk About | Color A01402 Pumice | Installed Monolithic

Colors with this symbol ship within 10 business days. 


DRAWN LINES™




A00901 Citrine



A00902 Topaz



A00903 Bronze



A00904 Smokey Quartz



A00905 Amber



A00906 Aquamarine



A00907 Onyx



A00908 Silver



A00909 Diamond



A00910 Opal

DRAWN LINES

Product Number
A009

Product Construction
High Performance Luxury Vinyl Tile

Class / ASTM F1700
Class III Printed Vinyl Plank

Wear Layer Thickness
22 mil

Total Thickness
4,5 mm

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
25 cm x 1 m (9.845 in x 39.38 in)


Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified
CDPH 01350 Compliant

Installation Methods
Ashlar, Herringbone


Full product specification on interface.com



Product Drawn Lines | Colors A00908 Silver and A00906 Aquamarine | Installed Ashlar

Colors with this symbol ship within 10 business days. 


NATIVE FABRIC™



A00801 Flax



A00802 Seagrass



A00803 Tatami




A00804 Straw




A00805 Linen



A00806 Twine



A00807 Bluegrass



A00808 Mulberry

NATIVE FABRIC

Product Number
A008

Product Construction
High Performance Luxury Vinyl Tile

Class / ASTM F1700
Class III Printed Vinyl Plank

Wear Layer Thickness
22 mil

Total Thickness
4.5 mm

Backing Class
Commercial Grade

Finish
Ceramor™ Coating

Nominal Dimensions
50 cm x 50 cm (19.69 in x 19.69 in)

Indoor Air Quality
GREENGUARD Gold, FloorScore® Certified
CDPH 01350 Compliant

Installation Methods
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

Full product specification on interface.com



Product Native Fabric | Colors A00805 Linen and A00808 Mulberry | Installed Monolithic


THE SOFTER SIDE

OF HIGH PERFORMANCE

Our modular carpet is everything you love about soft flooring with the flexibility of tile. We've been perfecting it for more than 40 years.

- Extensive selection of patterns, colors and sizes that work as a system with our LVT and rubber
- Dense construction with premium nylon fibers holds up to heavy impact and resists snags
- Structured, dimensionally stable backing system keeps tiles in place
- Ease of installation and replacement with our glue free TacTile installation system.
- Intersept™, our proprietary preservative, is permanently incorporated into the backing to protect carpet tiles against mold growth and odor—even at the seams.
- Interface's i2™ styles have mergeable dye lots that reduce the need for attic stock, and many install non directional, reducing installation waste to just 1.5%
- Certified carbon neutral through our Carbon Neutral Floors™ program
- Recyclable through our ReEntry™ program

Product Step Aside | Color 106317 Alba | Installed Monolithic
Product Step It Up | Colors 106330 Coralite and 106332 Citrine | Installed Ashlar



- 59 **AE311, AE315**
- 60 **AE317**
- 65 **CUBIC**
- 66 **EXPOSED**
- 67 **PROFILE, VERTICALS**
- 68 **VERTICALS**
- 71 **THE STANDARD**
- 72 **ICE BREAKER**
- 75 **HARMONIZE AND GROUND WAVES**
- 76 **GROUND WAVES VERSE**
- 79 **BEE'S KNEES, HONEY DO, HONEY DON'T**
- 81 **OPEN AIR 403 NEW**
- 83 **OPEN AIR 404 NEW**
- 87 **STEP IT UP AND STEP IN TIME**
- 88 **STEP THIS WAY AND STEP ASIDE**



Product Ice Breaker | Colors 106193 Lazuli, 105772 Bluestone and 105778 Magma | Installed Non Directional






Product AE317 | Color 105830 Aquamarine | Installed Ashlar
Product AE311 | Color 104668 Mist | Installed Ashlar



Product AE317 | Color 105829 Azure | Installed Pattern By Tile
Product AE315 | Color 105816 Granite/Azure | Installed Pattern By Tile
Product AE311 | Color 105805 Granite | Installed Pattern By Tile


AE311 | AERIAL™ COLLECTION




AE317 | AERIAL™ COLLECTION




AE315 | AERIAL™ COLLECTION



AE311 


Modular, 25 cm x 1 m
 Style: 13883
Yarn Manufacturer
 Aquafil
Yarn System
 100% Recycled Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Textured Loop
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt2®
Pile Thickness
 0.097 in., 2.5 mm
Pile Density
 5,567
Total Recycled Content
 up to 83%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Ashlar, Herringbone
 Full product specification on interface.com



AE315 

Modular, 25 cm x 1 m
 Style: 16323
Yarn Manufacturer
 Aquafil
Yarn System
 100% Recycled Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Textured Loop
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt2®
Pile Thickness
 0.13 in., 3.3 mm
Pile Density
 6,400
Total Recycled Content
 up to 83%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Ashlar, Herringbone
 Full product specification on interface.com



AE317 

Modular, 25 cm x 1 m
 Style: 16327
Yarn Manufacturer
 Aquafil
Yarn System
 100% Recycled Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Textured Loop
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt2®
Pile Thickness
 0.101 in., 2.6 mm
Pile Density
 6,059
Total Recycled Content
 up to 83%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Ashlar, Herringbone
 Full product specification on interface.com





Product Cubic | Color 106077 Peak | Installed Non Directional



Product Profile | Color 106086 Lofty | Installed Non Directional











































Carpet Product Exposed | Color 106059 Pitch | Installed Non Directional
LVT Product Studio Set | Colors A00724 Turquoise and A00702 Pewter | Installed Ashlar







Product Verticals | Colors 103736 Pinnacle, 104015 Vertex and 104009 Principal | Installed Ashlar

CUBIC™

						
4287 Shape	4288 Geometry	4288 Matrix	4290 Perimeter	4291 Square	4292 Area	4294 Surface
						
4295 Symmetry	4296 Transverse	4851 Measurement	4853 Angle	4855 Optic	4856 Structure	4857 Functional
						
4858 Form	4860 Axis	6383 Balance	6384 Composition	6385 Vertical	6387 Depth	6389 Supports
						
6390 Length	6392 Dimension	6393 Height	6394 Diagonal	6395 Construction	6396 Movement	6397 Purpose
						
106068 Soar	106069 Meridian	106070 Principal	106071 Pitch	106072 Zenith	106073 Altitude	106074 Lofty
						
106075 Crest	106076 Vertex	106077 Peak	106078 Summit	106079 Pinnacle		

EXPOSED™

						
8685 Cotton Mill	8686 Brick Yard	8687 Iron Works	8688 Dock Yard	8689 Glass Works	8690 Water Mill	8691 Tannery
						
8692 Mill Town	106056 Soar	106057 Meridian	106058 Principal	106059 Pitch	106060 Zenith	106061 Altitude
						
106062 Lofty	106063 Crest	106064 Vertex	106065 Peak	106066 Summit	106067 Pinnacle	

CUBIC



Modular, 50 cm x 50 m
 Style: 13801
 Yarn Manufacturer
 Aquafil
 Yarn System
 100% Recycled Content Nylon
 Color System
 100% Solution Dyed
 Construction
 Tufted Textured Loop
 Preservative Protection
 Intersept®
 Soil/Stain Protection
 Protekt²®
 Pile Thickness
 0.093 in., 2.4 mm
 Pile Density
 6,968
 Total Recycled Content
 up to 83%
 Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
 Installation Methods
 Non Directional

Full product specification on interface.com



NON-DIRECTIONAL

EXPOSED




Modular, 50 cm x 50 m
 Style: 13832
 Yarn Manufacturer
 Aquafil
 Yarn System
 100% Recycled Content Nylon
 Color System
 100% Solution Dyed
 Construction
 Tufted Tip-Sheared
 Preservative Protection
 Intersept®
 Soil/Stain Protection
 Protekt²®
 Pile Thickness
 0.07 in., 1.8 mm
 Pile Density
 9,257
 Total Recycled Content
 up to 83%
 Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
 Installation Methods
 Non Directional

Full product specification on interface.com



NON-DIRECTIONAL

PROFILE



PROFILE



Modular, 50 cm x 50 cm

Style: 13811

Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Intersept®

Soil/Stain Protection

Protekt²®

Pile Thickness

0.116 in., 2.9 mm

Pile Density

5,586

Total Recycled Content

up to 83%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods


Non Directional

Full product specification on interface.com



NON-DIRECTIONAL

VERTICALS™



VERTICALS



Modular, 25 cm x 1 m

Style: 13868

Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Intersept®

Soil/Stain Protection

Protekt²®

Pile Thickness

0.12 in., 3.0 mm

Pile Density

4,500

Total Recycled Content

up to 83%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone

Full product specification on interface.com



ASHLAR HERRINGBONE




Product The Standard | Colors 9369 Flannel and 9364 Bluefish | Installed Pattern By Tile




Product Ice Breaker | Colors 105770 Concrete and 106195 Peridot | Installed Monolithic

THE STANDARD™



ICE BREAKER™



THE STANDARD

Modular, 50 cm x 50 cm
 Style: 14673
Yarn Manufacturer
 Universal
Yarn System
 Post-Consumer Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Textured Loop
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt²®
Pile Thickness
 0.074 in., 1.9 mm
Pile Density
 7,297
Total Recycled Content
 up to 71%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Non Directional
 Full product specification on interface.com



NON-DIRECTIONAL



ICE BREAKER

Modular, 50 cm x 50 cm
 Style: 14730
Yarn Manufacturer
 Universal
Yarn System
 Post-Consumer Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Textured Loop
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt²®
Pile Thickness
 0.13 in., 3.3 mm
Pile Density
 8,620
Total Recycled Content
 up to 79%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Monolithic, Non Directional
 Full product specification on interface.com



MONOLITHIC NON-DIRECTIONAL



Product Ground Waves Verse | **Color** 104903 Gravel/Colors | **Installed** Ashlar
Product Harmonize | **Color** 104043 Gravel | **Installed** Ashlar




Product Ground Waves | **Color** 104051 Cobalt/Colors | **Installed** Pattern By Tile
Product On Line | **Color** 103798 Lime | **Installed** Pattern By Tile


HARMONIZE™ | HARMONIZE™ AND GROUND WAVES™ COLLECTION



GROUND WAVES VERSE™ | HARMONIZE™ AND GROUND WAVES™ COLLECTION




GROUND WAVES™ | HARMONIZE™ AND GROUND WAVES™ COLLECTION




HARMONIZE

Modular, 25 cm x 1 m
 Style: 13872
Yarn Manufacturer
 Aquafil
Yarn System
 100% Recycled Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Textured Loop
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt2®
Pile Thickness
 0.106 in., 2.7 mm
Pile Density
 5,434
Total Recycled Content
 up to 83%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Ashlar, Brick, Herringbone
 Full product specification on interface.com



GROUND WAVES

Modular, 25 cm x 1 m
 Style: 13873
Yarn Manufacturer
 Aquafil
Yarn System
 100% Recycled Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Textured Loop
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt2®
Pile Thickness
 0.088 in., 2.2 mm
Pile Density
 6,545
Total Recycled Content
 up to 83%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Ashlar, Brick, Herringbone
 Full product specification on interface.com



GROUND WAVES VERSE


Modular, 25 cm x 1 m
 Style: 16313
Yarn Manufacturer
 Aquafil
Yarn System
 100% Recycled Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Textured Loop
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt2®
Pile Thickness
 0.088 in., 2.2 mm
Pile Density
 6,545
Total Recycled Content
 up to 83%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Ashlar, Herringbone
 Full product specification on interface.com






Product Honey Don't | Color 105693 Dark Ocean | Installed Pattern By Tile
Product BeesKnees | Colors 105667 Dark Ocean, 105665 Eclipse and 105668 Twilight | Installed Pattern By Tile


HONEY DO™ | LET IT BEE™ COLLECTION



HONEY DON'T™ | LET IT BEE™ COLLECTION



BEE'S KNEES™ | LET IT BEE™ COLLECTION



HONEY DO i2

Modular, 50 cm x 50 cm
Style: 14727

Yarn Manufacturer
Universal

Yarn System
Post-Consumer Content Nylon

Color System
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2®

Pile Thickness
0.095 in., 2.4 mm

Pile Density
6,821

Total Recycled Content
up to 74%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods
Ashlar, Brick

Full product specification on interface.com

HONEY DON'T i2

Modular, 50 cm x 50 cm
Style: 14728

Yarn Manufacturer
Universal

Yarn System
Post-Consumer Content Nylon

Color System
100% Solution Dyed

Construction
Tufted Textured Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2®

Pile Thickness
0.093 in., 2.4 mm

Pile Density
6,968

Total Recycled Content
up to 79%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods
Ashlar, Brick

Full product specification on interface.com

BEE'S KNEES

Modular, 50 cm x 50 cm
Style: 14274

Yarn Manufacturer
Universal

Yarn System
Post-Consumer Content Nylon

Color System
100% Solution Dyed

Construction
Tufted Pattern Loop

Preservative Protection
Intersept®

Soil/Stain Protection
Protekt2®

Pile Thickness
0.168 in., 4.3 mm




Pile Density
5,357

Total Recycled Content
up to 71%

Indoor Air Quality
Green Label Plus #GLP0820, CDPH 01350

Installation Methods
Ashlar, Brick, Non Directional

Full product specification on interface.com



Product Honey Don't | Color 105693 Dark Ocean | Installed Ashlar
Product Honey Do | Color 105677 Twilight | Installed Ashlar


OPEN AIR™ 403 | OPEN AIR™ COLLECTION




106727 Black



106728 Iron



106729 Flannel



106730 Charcoal



106731 Natural



106732 Nickel



106733 Granite



106734 Stone



106735 Linen

OPEN AIR 403



Modular, 50 cm x 50 cm

Style: 16331

Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Intersept®

Soil/Stain Protection

Protekt²®

Pile Thickness

0.083 in., 2.1 mm

Pile Density

8,241

Total Recycled Content

Up to 83%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350


Installation Methods

Non Directional

Full product specification on interface.com



NON-DIRECTIONAL



Product Open Air 403 | **Color** 106727 Black | **Installed** Non Directional
Product AE317 | **Color** 105831 Emerald | **Installed** Ashlar
Product SR699 | **Color** 104933 Onyx | **Installed** Quarter-Turn


OPEN AIR™ 404 | OPEN AIR™ COLLECTION




106745 Black



106746 Iron



106747 Flannel



106748 Charcoal



106749 Natural



106750 Nickel



106751 Granite



106752 Stone



106753 Linen

OPEN AIR 404



Modular, 50 cm x 50 cm

Style: 16333

Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Intersept®

Soil/Stain Protection

Protekt®

Pile Thickness

0.07 in., 1.8 mm

Pile Density

9,257

Total Recycled Content

68%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350


Installation Methods

Non Directional

Full product specification on interface.com



NON-DIRECTIONAL



Product Open Air 404 | Color 106751 Granite | Installed Non Directional




Product Step it Up | **Color** 106332 Citrine | **Installed** Ashlar
Product Step in Time | **Colors** 106316 Jet and 106311 Alba | **Installed** Monolithic



Product Step this Way | **Color** 106325 Ebony | **Installed** Monolithic
Product Step Aside | **Color** 106319 Ebony | **Installed** Monolithic


STEP IT UP™ | LOOK BOTH WAYS™ COLLECTION




106329 Alba 106330 Coralite 106331 Ash 106332 Citrine
 106333 Ebony 106334 Sienna 106335 Coal 106336 Slate
 106337 Indigo 106338 Azure 106339 Jet 106340 Jade

STEP IT UP

Modular, 50cm x 50cm
 Style: 1473802500
Yarn Manufacturer
 Universal
Yarn System
 Post-Consumer Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Textured Loop
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt2®
Pile Thickness
 0.084 in., 2.1 mm
Pile Density
 7,714
Total Recycled Content
 up to 79%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Ashlar, Brick
Full product specification on interface.com



STEP THIS WAY™ | LOOK BOTH WAYS™ COLLECTION



106323 Alba 106324 Ash 106325 Ebony 106326 Coal
 106327 Indigo 106328 Jet

STEP THIS WAY

Modular, 50cm x 50cm
 Style: 1417602500
Yarn Manufacturer
 Universal
Yarn System
 Post-Consumer Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Sheared
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt2®
Pile Thickness
 0.082 in., 2.1 mm
Pile Density
 10,537
Total Recycled Content
 up to 79%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Ashlar, Brick, Monolithic, Non Directional
Full product specification on interface.com



STEP IN TIME™ | LOOK BOTH WAYS™ COLLECTION




106311 Alba 106312 Ash 106313 Ebony 106314 Coal
 106315 Indigo 106316 Jet

STEP IN TIME

Modular, 50cm x 50cm
 Style: 1417402500
Yarn Manufacturer
 Universal
Yarn System
 Post-Consumer Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Sheared
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt2®
Pile Thickness
 0.083 in., 2.1 mm
Pile Density
 10,843
Total Recycled Content
 up to 79%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Ashlar, Brick, Monolithic, Non Directional
Full product specification on interface.com




STEP ASIDE™ | LOOK BOTH WAYS™ COLLECTION



106317 Alba 106318 Ash 106319 Ebony 106320 Coal
 106321 Indigo 106322 Jet

STEP ASIDE

Modular, 50cm x 50cm
 Style: 1417502500
Yarn Manufacturer
 Universal
Yarn System
 Post-Consumer Content Nylon
Color System
 100% Solution Dyed
Construction
 Tufted Sheared
Preservative Protection
 Intersept®
Soil/Stain Protection
 Protekt2®
Pile Thickness
 0.096 in., 2.4 mm
Pile Density
 9,750/4,840
Total Recycled Content
 up to 79%
Indoor Air Quality
 Green Label Plus #GLP0820, CDPH 01350
Installation Methods
 Ashlar, Brick, Monolithic
Full product specification on interface.com



ALL THE EXTRAS

FROM ENTRYWAYS TO STAIRS AND MORE

When we say we have an integrated system of products for EVERY space, we mean it. That includes walk-off products for entryways, nora® stairwell solutions, and a range of accessories for norament® and noraplan® floor coverings to complete the perfect floor.

Interface Walk-Off Carpet

- Reduce maintenance and add years to the life of your floors
- Stiff fibers in our Step Repeat™ Collection styles grab dirt and debris before it's tracked inside
- Interiors stay fresher, creating a better indoor environment

nora Stairwell Solutions

- Fast installation with decades-long endurance of heavy traffic
- norament® stairtreads offer a pre-shaped stair nosing, riser and tread all-in-one piece
- nora® stair nosings with a slide-in lip for installation on all types of staircases—for use on noraplan /norament floor coverings with a smooth/hammered surface
- nora® visually impaired strips offered in smooth or textured surface, available in different colors

nora Accessories


- nora® wall base to add that final touch to your installation
- Joint sealing when needed with nora® heat weld or nora® cold weld
- High-quality installation materials tailored to nora rubber for safe installation




93 SR699, SR799, SR899, SR999
95 **norament®** STAIRTREADS: 920, GRANO,
HAMMERED, ROUND, SATURA
97 FLOORING ACCESSORIES AND ADHESIVES



Product SR999 | Color 104945 Onyx | Installed Ashlar
Product EM551 | Color 104564 Union St. | Installed Ashlar

Colors with this symbol ship within 10 business days. 

SR699 | STEP REPEAT™ COLLECTION



SR899 | STEP REPEAT™ COLLECTION



SR799 | STEP REPEAT™ COLLECTION



SR999 | STEP REPEAT™ COLLECTION



SR699

Modular, 50cm x 50cm
Style: 13884
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Color System
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt²®
Pile Thickness
0.147 in., 3.7 mm
Pile Density
6,612
Total Recycled Content
Up to 80%
Indoor Air Quality
Green Label Plus #GLP0820,
CDPH 01350
Installation Methods
Quarter-Turn

Full product specification on interface.com



QUARTER-TURN

SR799

Modular, 50cm x 50cm
Style: 13885
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Color System
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt²®
Pile Thickness
0.14 in., 3.6 mm
Pile Density
6,686
Total Recycled Content
Up to 80%
Indoor Air Quality
Green Label Plus #GLP0820,
CDPH 01350
Installation Methods
Quarter-Turn

Full product specification on interface.com



QUARTER-TURN

SR899

Modular, 50cm x 50cm
Style: 13886
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Color System
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt²®
Pile Thickness
0.143 in., 3.6 mm
Pile Density
6,545
Total Recycled Content
Up to 80%
Indoor Air Quality
Green Label Plus #GLP0820,
CDPH 01350
Installation Methods
Monolithic

Full product specification on interface.com



MONOLITHIC

SR999

Modular, 50cm x 50cm
Style: 13887
Yarn Manufacturer
Aquafil
Yarn System
100% Recycled Content Nylon
Color System
100% Solution Dyed
Construction
Tufted Textured Loop
Preservative Protection
Intersept®
Soil/Stain Protection
Protekt²®
Pile Thickness
0.127 in., 3.2 mm
Pile Density
7,654
Total Recycled Content
Up to 80%
Indoor Air Quality
Green Label Plus #GLP0820,
CDPH 01350
Installation Methods
Non Directional

Full product specification on interface.com



NON-DIRECTIONAL



Product SR999 | Color 104945 Onyx | Installed Non Directional


norament® 920 STAIRTREADS




0749 Stone Grey 0884 Dust Grey 1346 Peacock Teal 0862 Azure Blue

Art. 465 — width ~50.59" (1285 mm)


norament® GRANO STAIRTREADS



5301 White Fir 5302 Angelica Root 5303 Frankincense 5304 Black Pepper



5313 Marjoram 5314 Henna 5315 Cedarwood 5308 Myrrh



5329 Bergamot 5325 Balsam 5317 Agapanthus 5318 Blue Tansy

Art. 479 — width ~50.59" (1285 mm)

Art. 468 — width ~63.54" (1614 mm)

Art. 469 — width ~78.89" (2004 mm)

norament® HAMMERED STAIRTREADS



0716 Slate Grey 0749 Stone Grey 0882 Platinum Grey 0884 Dust Grey



6172 Fawn

Art. 479 — width ~50.59" (1285 mm)

Art. 468 — width ~63.54" (1614 mm)

Art. 469 — width ~78.89" (2004 mm)

norament® ROUND STAIRTREADS



0214 Sea Green 0319 Slate Blue 0733 Steel Blue 0890 Blue Violet



0007 Aluminum 0882 Platinum Grey 2074 Mocha 6172 Fawn



0884 Dust Grey 0749 Stone Grey 0716 Slate Grey 0702 Black

Art. 465 — width ~50.59" (1285 mm)

Art. 466 — width ~63.54" (1614 mm)

Art. 467 — width ~78.89" (2004 mm)

norament® SATURA STAIRTREADS



5102 Grus 5103 Mercury 5107 Callisto 5108 Indus



5110 Ara 5114 Circinus 5115 Hercules 5116 Arcturus



5118 Pavo 5121 Hydra 5127 Vela 5129 Neptune

Art. 479 — width ~50.59" (1285 mm)

Art. 468 — width ~63.54" (1614 mm)

Art. 469 — width ~78.89" (2004 mm)

View details and the full product specification at nora.com/us.



Product norament® grano stairtreads | Color 5301 White Fir

nora® Flooring Accessories




nora® heat weld

Developed for use with noraplan® flooring, nora® heat welding is recommended when the nora® flooring has been installed in rooms with continual and intensive wet cleaning, in areas with stringent requirements for hygiene or other special requirements, such as operating rooms and laboratories. Due to its resilient structure, welding is required for noraplan acoustic.



nora® cold weld

noraplan and norament® floor coverings do not need to be sealed because they do not contain any volatile plasticizers. Thus, there is no shrinkage after installation. In some types of installations, though, it is recommended to seal the joints (seams) in areas with intensive and continual wet cleaning, in labs or areas with specific hygienic requirements for a dense, homogeneous surface.



nora® wall base

Delivering a consistent height and toe dimension you can depend on, nora® wall base exudes a professional appearance that adds that final touch to your installation. If the color you need is not already available, nora wall base has the ability to be custom color matched to any floor, wall, fabric or paint swatch.

nora® Adhesives



nora® dryfix 750

nora® dryfix 750 adhesive tape provides you with a safe, healthy, cost- and time-effective alternative to conventional flooring adhesives. There is no mixing or adhesive clean-up necessary, and it allows for immediate traffic upon completion of installation.



nora® stepfix

Specifically developed for norament® stairtreads, nora® stepfix adhesive tape makes installing stairtreads quick, clean and easily manageable – making them the optimum solution. With nora stepfix, you can easily dry-fit the tread right on the covered adhesive tape, and stairs can be walked on immediately following installation. On stairs with round nosings, use nora® metal repair stair angle and/or nora® epoxy stair filler to fill the void.



nora® AC 100

nora® AC 100 is an easy-to-use, wet set, water based acrylic adhesive that has been specifically formulated for the installation of specific nora rubber floor coverings (2 mm — 4 mm) on absorptive substrates.

Interface



TacTiles

Just peel, pull and stick for a hassle-free, durable carpet tile installation. No mess, no drying time and little, if any, future floor prep. And TacTiles connectors can be recycled with Interface carpet tiles.



Adhesive: XL Brands 2000 Plus (2500 Plus in Canada) for LVT and carpet tile

This releasable, water-based, spread adhesive is available for our carpet tile and LVT and contains our proprietary antimicrobial preservative, Intersept™, for enhanced protection against mold and mildew.

Creating a Healthier Planet—Together



Our goal is to make products with the lowest carbon footprint possible. Through our innovations working with recycled content and bio-based materials, we're making carpet tiles that store carbon, preventing its release into the atmosphere. And the flooring products that we sell, including carpet tile, LVT and nora® rubber, are carbon neutral across their full product life cycle through our third party verified Carbon Neutral Floors™ program. When you purchase our flooring, you're helping create a healthier planet with reduced carbon in our atmosphere.

And with your purchase, we'll give you a Carbon Neutral Floor Certificate acknowledging the amount of carbon offsets you've helped retire from the atmosphere.



Closing the Loop with ReEntry™

Each year we work with collection partners across the North America to divert millions of pounds of used (or post-consumer) carpet from landfills, feeding compatible materials through our Cool Blue™ system to create new flooring over and over again. Most valuable to us is our own LVT and vinyl backed carpet tile. Help us keep closing the loop by including ReEntry as part of your project's waste diversion strategy.